

2010

Ei tekijätietoa (liitetään laitokselle)

Haapea M, Miettunen J, Lindeman S, Joukamaa M, Koponen H: Agreement between self-reported and pharmacy data on medication use in the Northern Finland 1966 Birth Cohort. *International Journal of Methods in Psychiatric Research* 2010, 19/2: 88-96.

Antikainen, Riitta

Strandberg TE, Koistinen P, Antikainen R, Kynsilehto EA, Määttä K, Niemelä M, Seppänen ML, Viramo P, Pitkälä K, O'Neill D: Increased work-satisfaction amongst geriatricians in Finland – an encouragement for further development of the specialty? Survey among geriatricians in Finland in 2008. *European Geriatric Medicine* 2010, 1: 73-76.

Leskinen R, Laatikainen T, Tuomilehto J, Nissinen A, Peltonen M, Koistinen P, Antikainen R: Trends in health status and the use of services among the 80-84-year-old Finnish war veterans during 1992 and 2004. *Scandinavian Journal of Public Health* 2010, 38: 434-441.

Peters R, Pinto E, Beckett N et al. & Antikainen R, Strandberg T: Association of depression with subsequent mortality, cardiovascular morbidity and incident dementia in people aged 80 and over and suffering from hypertension. Data from the Hypertension in the Very Elderly Trial (HYVET). *Age and Ageing* 2010, 39: 439-445.

Peters R, Beckett N, Burch L et al. & Antikainen R, Strandberg T: Effect of treatment based on a diuretic (indapamide) ± ACE inhibitor (perindopril) on fractures in the Hypertension in the Very Elderly Trial (HYVET). *Age and Ageing* 2010, 39: 609-616.

Peters R, Beckett N, Beardmore R et al. & Antikainen R, Strandberg T: Modelling cognitive decline in the Hypertension in the Very Elderly Trial (HYVET) and proposed risk tables for population use. *PLoS One* 2010, 5/7: e11775. doi:10.1371/journal.pone.0011775.

Bakris GL, Sarafidis PA, Weir MR et al. for the ACCOMPLISH Trial investigators & Antikainen R: Renal outcomes with different fixed-dose combination therapies in patients with hypertension at high risk for cardiovascular events (ACCOMPLISH): a prespecified secondary analysis of a randomised controlled trial. *Lancet* 2010, 375: 1173-1181.

Hu G, Jousilahti P, Antikainen R, Katzmarzyk PT, Tuomilehto J: Joint effects of physical activity, body mass index, waist circumference, and waist-to-hip ratio on the risk of heart failure. *Circulation* 2010, 121: 237-244.

Bidel S, Hu G, Jousilahti P, Antikainen R, Pukkala E, Hakulinen T, Tuomilehto J: Coffee consumption and risk of colorectal cancer. *European Journal of Clinical Nutrition* 2010, 64: 917-923.

Wang Y, Tuomilehto J, Jousilahti P, Antikainen R, Mähönen M, Katzmarzyk PT, Hu G: Occupational, commuting, and leisure-time physical activity in relation to heart failure among Finnish men and women. *Journal of the American College of Cardiology* 2010, 56/14: 1140-1148.

Antikainen RL, Kastarinen MJ, Jousilahti P, Peltonen M, Laatikainen T, Beckett N, Peters R, Jokelainen J, Barengo NC, Tuomilehto JO: Despite evidence-based guidelines, systolic blood pressure remains inadequately controlled in older hypertensive adults. *Journal of Hypertension* 2010, 24: 439-446.

Auvinen, Juha

Neck, shoulder, and low back pain in adolescence. *Acta Universitatis Ouluensis Medica D* 1052, Oulu 2010, ss. 116 (+liitteet).

Cederberg, Henna

Cederberg H, Saramies J, Jokelainen J, Keinänen-Kiukaanniemi S, The Savitaipale Follow-up Study Group: Late gestational blood pressure and subsequent impaired glucose tolerance. 7th Science day at the Faculty of Medicine, University of Oulu, 23.2.2010. Abstracts O55, Oulu 2010.

Cederberg H, Saramies J, Jokelainen J, Surcel H-M, Mähönen M, Keinänen-Kiukaanniemi S, The Savitaipale Follow-Up Study Group: Gestational blood pressure and subsequent insulin resistance in middle age. 6th World Congress on Prevention of Diabetes and its Complications (WCPD 2010). April 8-11, 2010, Dresden, Germany. Poster presentation. Abstract CD, 01-4/253.

Cederberg H, Saramies J, Jokelainen J, Keinänen-Kiukaanniemi S and The Savitaipale Follow-Up Study Group: Gestational blood pressure and subsequent glucose homeostasis disturbance in late adulthood. The 2nd Nordic University Course on Hypertension Research, Oslo, June 17-18.2010 (in conjunction with ESH 2010, Oslo, Norway). Oral presentation. Abstract published in congress book.

Saaristo T, Moilanen L, Jokelainen J, Korpi-Hyövälti E, Vanhala M, Saltevo J, Niskanen L, Peltonen M, Oksa H, Cederberg H et al. & Keinänen-Kiukaanniemi S: Cardiometabolic profile of people screened for high risk of type 2 diabetes in a national diabetes prevention programme (FIN-D2D). Primary Care Diabetes 2010, 4: 231-239.

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. Diabetes Care 2010, 33/9: 2077-2083.

Haapea, Marianne

Non-response and information bias in population-based psychiatric research. Acta Universitatis Ouluensis Medica D 1049, Oulu 2010, ss. 111 (+ liitteet).

Hassi, Juhani

Harju T, Mäkinen T, Näyhä S, Laatikainen T, Jousilahti P, Hassi J: Cold-related respiratory symptoms in the general population. Clinical Respiratory Journal 2010, 4: 176-185.

Hassi J, Ikäheimo T, Näyhä S: Kylmä ja kuuma ympäristö. Ympäristöterveyden erityistilanteet. Opas ympäristöterveydenhuollon työntekijöille ja yhteistyötahoille. Sosiaali- ja terveystieteiden tutkimuskeskuksen julkaisu 2010, 2: 136-148. ISBN 978-952-00-3012-4; ISSN 1236-2050

Hiltunen, Liisa

Juuti A-K, Läärä E, Rajala U, Laakso M, Härkönen P, Keinänen-Kiukaanniemi S, Hiltunen L: Prevalence and associated factors of restless legs in a 57-year-old urban population in northern Finland. Acta Neurologica Scandinavica 2010, 122: 63-69.

Zhou XH, Qiao Q, Zethelius B, Pyörälä K, Söderberg S, Pajak A, Stehouwer CDA, Heine Rj, Jousilahti P et al. & Keinänen-Kiukaanniemi S, Hiltunen L: Diabetes, prediabetes and cancer mortality. Diabetologia 2010, 53: 1867-1876.

Suomalaisen Lääkäriseuran Duodecimin, Suomen Keuhkolääkäriyhdistyksen ja Suomen Unitutkimusseura ry:n asettama työryhmä: Saaresranta T ym. & Hiltunen L: Käypä hoito suositus, Uniapnea (obstruktiivinen uniapnea aikuisilla). Käypä hoito –suositus 24.11.2010, ss. 1-29.

Suomalaisen Lääkäriseuran Duodecimin, Suomen Keuhkolääkäriyhdistyksen ja Suomen Unitutkimusseura ry:n asettama työryhmä: Saaresranta T ym. & Hiltunen L: Käypä hoito suositus,

Uniapnea (obstruktiivinen uniapnea aikuisilla). Käypä hoito –suosituksen tiivistelmä. *Duodecim* 2010, 126: 2633-2635.

Ahola AJ, Thorn LM, Saraheimo M, Forsblom C, Groop PH; on behalf of the FinnDiane Study Group & Hiltunen L & Keinänen-Kiukaanniemi S: Depression is associated with the metabolic syndrome among patients with type 1 diabetes. *Annals of Medicine* 2010, 42/7: 495-501.

Tolonen N, Forsblom C, Thorn L et al. & FinnDiane Study Group & Hiltunen L & Keinänen-Kiukaanniemi S: Lipid abnormalities predict progression of renal disease in patients with type 1 diabetes. *Diabetologia* 2009, 52/12: 2522-2530.

Hoverfelt A, Sallinen R, Söderlund JM et al. & FinnDiane Study Group & Hiltunen L, Keinänen-Kiukaanniemi S: DDOST, PRKCSH and LGALS3, which encode AGE-receptors 1, 2 and 3, respectively, are not associated with diabetic nephropathy in type 1 diabetes. *Diabetologia* 2010, 53/9: 1903-1907.

Hugg, Timo

Hugg T: Venäjällä allergisia vähemmän, oireet vakavampia. Suomen ja Venäjän allergiat, osa 1. *Allergia & Astma* 2010, 1: 24-26.

Hugg T: Rungas varhaislapsuuden tupakointialtistus lisää allergisoitumisriskiä. Suomen ja Venäjä allergiat, osa 2. *Allergia & Astma* 2010, 2: 36-38.

Hugg T: Eläinallitustuksen allergologiset vaikutukset voivat vaihdella. Suomen ja Venäjän allergiat, osa 3. *Allergia & Astma* 2010, 3: 38-40.

Hurtig, Tuula

Moilanen I, Lindholm P, Ebeling H, Taanila A, Hurtig T, Veijola J, Järvelin M-R: Continuation of ADHD-symptoms from childhood to young adulthood. *Longitudinal and Life Course Studies: International Journal* 2010, 1/3 Supplement: CELSE2010 Abstracts: 37.

Honkanen M, Moilanen I, Taanila A, Hurtig T: Luokanopettaja lapsen mielenterveyden edistäjänä ja ennustajana. *Duodecim* 2010, 126/3: 277-282.

Rahko J, Paakki J, Starck T, Nikkinen J, Remes J, Hurtig T, Kuusikko-Gauffin S, Mattila ML, Jussila K et al. Functional mapping of dynamic happy and fearful facial expression processing in adolescents. *Brain Imaging & Behavior* 2010, 4/2: 164-176.

Savolainen J, Hurtig TM, Ebeling HE, Moilanen IK, Hughes LA, Taanila AM: Attention deficit hyperactivity disorder (ADHD) and criminal behavior: the role of adolescent marginalization. *European Journal of Criminology* 2010, 7/6: 442-459.

Ikäheimo (ent. Mäkinen), Tiina

Harju T, Mäkinen T, Näyhä S, Laatikainen T, Jousilahti P, Hassi J: Cold-related respiratory symptoms in the general population. *Clinical Respiratory Journal* 2010, 4: 176-185.

Hassi J, Ikäheimo T, Näyhä S: Kylmä ja kuuma ympäristö. Ympäristöterveyden erityistilanteet. *Opas ympäristöterveydenhuollon työntekijöille ja yhteistyötahoille. Sosiaali- ja terveysministeriön julkaisuja* 2010, 2: 136-148. ISBN 978-952-00-3012-4; ISSN 1236-2050

Pyky R, Jämsä T, Ikäheimo T, Kaikkonen K, Mäntysaari M, Virtanen P, Korpelainen R: Mikä mopoa liikuttaa? Pohjois-suomalaisten kutsuntaikäisten miesten liikunta-aktiivisuus ja liikkumista rajoittavat tekijät. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. *Liikunta & Tiede* 2010, 47/5: 47.

Mäkinen T: Different types of cold adaptation in humans. *Frontiers in Bioscience* 2010, S2: 1047-1067.

Young TK, Ikäheimo TM: Health of arctic populations: Does cold matter? *American Journal of Human Biology* 2010, 22: 129-133.

Chatwood S, Orr P, Ikäheimo T (toim.): Proceedings of the 14th International Congress on Circumpolar Health, July 11-16, 2009, Yellowknife, Canada. Circumpolar Health Supplements 2010, 7: 1-596.

Ikäheimo TM: Introduction. In: Chatwood S, Orr P, Ikäheimo T (toim.): Circumpolar Health Supplements Proceedings of the 14th International Congress on Circumpolar Health, July 11-16, 2009, Yellowknife, Canada. 2010, 7: 201-204.

Ikäheimo TM, Junila J, Hirvonen J, Hassi J: Frostbite and other localized cold injuries. In: Tintinalli's Emergency Medicine: A Comprehensive Study Guide. Toim. Tintinalli J, Stapczynski S, Cline D et al. Seventh Edition 2010, Section 16: Chapter 202, 16 s. ISBN 978-0-07-174467-6.

Ikäheimo T: Unique information about the health systems of the North. Editorial. International Journal of Circumpolar Health 2010, 69/5: 414.

Isohanni, Matti

Poutska L, Murray GK, Jääskeläinen E, Veijola J, Jones P, Isohanni M, Miettunen J: The influence of temperament on symptoms and functional outcome in people with psychosis in the Northern Finland 1966 Birth Cohort. European Psychiatry 2010, 25: 26-32.

Miettunen J, Veijola J, Freimer N, Lichtermann D, Peltonen L, Paunio T, Isohanni M, Joukamaa M, Ekelund J: Data on schizotypy and affective scales are gender and education dependent – Study in the Northern Finland 1966 Birth Cohort. Psychiatry Research 2010, 178: 408-413.

Mäki P, Riekkö T, Miettunen J, Isohanni M, Jones PB, Murray GK, Veijola J: Schizophrenia in the offspring of antenatally depressed mothers in the Northern Finland 1966 Birth Cohort: Relationship to family history of psychosis. American Journal of Psychiatry 2010, 167: 70-77.

Jaakkola, Jouni

Halliday-Bell JA, Quansah R, Gissler M, Jaakkola JJK. Laboratory work and adverse pregnancy outcomes. Occupational Medicine 2010, 60: 310-313.

Polanska K, Hanke W, Sobala W, Lowe JB, Jaakkola JJ. Predictors of smoking relapse after delivery: prospective study in Central Poland. Maternal Child Health J 2010 (epubl)

Jaakkola JJK, Hwang BF, Jaakkola MS. Home dampness and molds as determinants of allergic rhinitis: a 6-year population-based cohort study. Am J Epidemiol 2010, 172: 451-459.

Quansah R, Jaakkola JJ: Occupational exposures and adverse pregnancy outcomes among nurses. A systematic review and meta-analysis. Journal of Women's Health 2010, 19/10: 1851-1862.

Khalade A, Jaakkola JJK. Exposure to benzene at work and the risk of leukemia: a systematic review and meta-analysis. Environ Health 2010, 9: 31.

Jokelainen, Jari

Liukkonen T, Vanhala M, Jokelainen J, Keinänen-Kiukaanniemi S, Koponen H, Timonen M: Effect of menopause and use of contraceptives/hormone therapy on association of C-reactive protein and depression: A population-based study. Journal of Psychosomatic Research 2010, 68: 573-579.

Vartiainen J, Rajala U, Jokelainen J, Keinänen-Kiukaanniemi S, Kesäniemi YA, Ukkola O: Serum ghrelin and the prediction of the development of impaired glucose regulation and Type 2 diabetes in middle-aged subjects. Journal of Endocrinological Investigation 2010, 33: 496-500.

Luukinen H, Jokelainen J, Hedberg P: The relationships between high-sensitivity C-reactive protein and incident depressed mood among older adults. Scandinavian Journal of Clinical & Laboratory Investigation 2010, 70: 75-79.

Saaristo T, Moilanen L, Korpi-Hyövälti E, Vanhala M, Saltevo J, Niskanen L, Jokelainen J, Peltonen M, Oksa H et al. & Keinänen-Kiukaanniemi S: Lifestyle intervention for prevention of type 2 diabetes in primary health care. *Diabetes Care* 2010, 33/10: 2146-2151.

Saaristo T, Moilanen L, Jokelainen J, Korpi-Hyövälti E, Vanhala M, Saltevo J, Niskanen L, Peltonen M, Oksa H et al. & Cederberg H, Keinänen-Kiukaanniemi S: Cardiometabolic profile of people screened for high risk of type 2 diabetes in a national diabetes prevention programme (FIN-D2D). *Primary Care Diabetes* 2010, 4: 231-239.

Winblad I, Viramo P, Remes A, Manninen M, Jokelainen J: Prevalence of dementia – a rising challenge among ageing populations. *European Geriatric Medicine* 2010, 1: 330-333.

Moilanen K, Jokelainen J, Jones PB, Hartikainen A-L, Järvelin M-R, Isohanni M: Deviant intrauterine growth and risk of schizophrenia: a 34-year follow-up of the Northern Finland 1966 Birth Cohort. *Schizophrenia Research* 2010, 124: 223-230.

Cederberg H, Saramies J, Jokelainen J, Keinänen-Kiukaanniemi S, The Savitaipale Follow-up Study Group: Late gestational blood pressure and subsequent impaired glucose tolerance. 7th Science day of the Faculty of Medicine, University of Oulu, 23.2.2010. Abstracts O55, Oulu 2010.

Cederberg H, Saramies J, Jokelainen J, Surcel H-M, Mähönen M, Keinänen-Kiukaanniemi S, The Savitaipale Follow-Up Study Group: Gestational blood pressure and subsequent insulin resistance in middle age. 6th World Congress on Prevention of Diabetes and its Complications (WCPD 2010). April 8-11, 2010, Dresden, Germany. Poster presentation. Abstract CD, 01-4/253.

Cederberg H, Saramies J, Jokelainen J, Keinänen-Kiukaanniemi S and The Savitaipale Follow-Up Study Group: Gestational blood pressure and subsequent glucose homeostasis disturbance in late adulthood. The 2nd Nordic University Course on Hypertension Research, Oslo, June 17-18.2010 (in conjunction with ESH 2010, Oslo, Norway). Oral presentation. Abstract published in congress book.

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. *Diabetes Care* 2010, 33/9: 2077-2083.

Antikainen RL, Kastarinen MJ, Jousilahti P, Peltonen M, Laatikainen T, Beckett N, Peters R, Jokelainen J, Barengo NC, Tuomilehto J: Despite evidence-based guidelines, systolic blood pressure remains inadequately controlled in older hypertensive adults. *Journal of Human Hypertension* 2010, 24/7: 439-446.

Miettinen JA, Ylitalo K, Hedberg P, Jokelainen J, Kervinen K, Niemela M, Saily M, Koistinen P, Savolainen E, Ukkonen H, Pietila M, Airaksinen KEJ, Knuuti J, Vuolteenaho O, Makikallio TH, Huikuri HV: Determinants of functional recovery after myocardial infarction of patients treated with bone marrow-derived stem cells after thrombolytic therapy. *Heart* 2010, 96/5: 362-367.

Koponen H, Jokelainen J, Keinänen-Kiukaanniemi S, Vanhala M: Depressive symptoms and 10-year risk for cardiovascular morbidity and mortality. *World Journal of Biological Psychiatry* 2010, 11/6: 834-839.

Saltevo S, Kaikkonen K, Korpelainen R, Kaikkonen H, Jokelainen J, Keinänen-Kiukaanniemi S: Intensiivisen elintapaohjauksen ja sykeohjatun kuntosaliharjoittelun vaikutus lihaviiden työkäisten painoon ja sokeriaineenvaihduntaan - satunnaistettu, kontrolloitu kahden vuoden interventio. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. *Liikunta & Tiede* 2010, 47/5: 49.

Järvelin, Marjo-Riitta

Andersen LG, Ängquist L, Gamborg M, Byberg L, Bengtsson C, Canoy D, Eriksson JG, Eriksson M, Järvelin M-R et al. for the NordNet Study Group: Birth weight in relation to leisure time physical

activity in adolescence and adulthood: meta-analysis of results from 13 nordic cohorts. PLoS ONE 2009, 4/12: e8192 (7 s). (ei ole ilmoitettu aiemmin)

Auvinen JP, Tammelin TH, Taimela SP, Zitting PJ, Järvelin M-R, Taanila AM, Karppinen JI: Is insufficient quantity and quality of sleep a risk factor for neck, shoulder and low back pain? A longitudinal study among adolescents. European Spine Journal 2010, 19: 641-649.

Chambers JC, Zhang W, Lord GM, van der Harst P, Lawlor DA, Sehmi JS, Gale DP, Wass MN, Ahmadi KR et al. & Ruokonen A, Järvelin M-R: Genetic loci influencing kidney function and chronic kidney disease. Nature Genetics 2010, 42/5: 373-375.

Dupuis J, Langenberg C, Prokopenko I, Saxena R, Soranzo N, Jackson AU, Wheeler E, Glazer NL, Bouatia-Naji N et al. & Hartikainen A-L, Kaakinen M, Kesäniemi YA, Ruokonen A, Järvelin M-R: New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. Nature Genetics 2010, 42/2: 105-113.

Freathy RM, Mook-Kanamori DO, Sovio U, Prokopenko I, Timpson NJ, Berry DJ, Warrington NM, Widen E, Hottenga JJ et al. & Kaakinen M, Hartikainen A-L, Laitinen J, Taanila A, Järvelin M-R: Variants in *ADCY5* and near *CCNLI* are associated with fetal growth and birth weight. Nature Genetics 2010, 42/5: 430-435.

Freathy RM, Bennett AJ, Ring SM, Shields B, Groves CJ, Timpson NJ, Pouta A, Ruokonen A, Hyppönen E et al. & Järvelin M-R: Common type 2 diabetes and raised fasting glucose variants reduce size at birth. The American Society of Human Genetics 58th Annual Meeting, Philadelphia, USA, November 11-15, 2008, s. 393. (ilmoitettu v. 2010)

Sovio U, Bennett AJ, Timpson NJ, Haukka J, Millwood I, Molitor J, Widen E, Peltonen L, McCarthy MI, Järvelin M-R: Genetic association study of height growth and timing of puberty in the Northern Finland Birth Cohort 1966. The American Society of Human Genetics 58th Annual Meeting, Philadelphia, USA, November 11-15, 2008, s. 430. (ilmoitettu v. 2010)

Heid IM, Huth C, Loos RJF, Kronenberg F, Adamkova V, Anand SS, Ardlie K, Bierbermann H, Bjerregaard P et al. & Järvelin M-R, Kaakinen M: Meta-analysis of the *INSIG2* association with obesity including 74,345 individuals: Does heterogeneity of estimates related to study design? PLoS Genetics 2009, 5/10: 1-10 (doi:10.1371/journal.pgen.1000694)

Kettunen J, Silander K, Saarela O, Amin N, Müller M, Timpson N, Surakka I, Ripatti S, Laitinen J et al. & Hartikainen A-L, Järvelin M-R: European lactase persistence genotype shows evidence of association with increase in body mass index. Human Molecular Genetics 2010, 19/6: 1129-1136.

Koponen HJ, Hakko HH, Saari KM, Lindeman SM, Karvonen KM, Isohanni MK, Lauren LH, Savolainen MJ, Järvelin M-R: The prevalence and predictive value of individual criteria for metabolic syndrome in schizophrenia: A Northern Finland 1066 Birth Cohort Study. The World Journal of Biological Psychiatry 2010, 11/2: 262-267.

Männistö T, Vääräsmäki M, Pouta A, Hartikainen A-L, Ruokonen A, Surcel H-M, Bloigu A, Järvelin M-R, Suvanto E: Thyroid dysfunction and autoantibodies during pregnancy as predictive factors of pregnancy complications and maternal morbidity in later life. Journal of Clinical Endocrinology and Metabolism 2010, 95/3: 1084-1094.

Perry JRB, Weedon MN, Langenberg C, Jackson AU, Lyssenko V, Sparsø T, Thorleifsson G, Grallert H, Ferrucci L et al. & Järvelin M-R: Genetic evidence that raised sex hormone binding globulin (SHBG) levels reduce the risk of type 2 diabetes. Human Molecular Genetics 2010, 19/3: 535-544.

Pillas D, Hoggart CJ, Evans DM, O'Reilly PF, Sipilä K, Lähdesmäki R, Millwood IY, Kaakinen M, Netuveli G et al. & Hartikainen A-L, Laitinen J, Järvelin M-R: Genome-wide association study reveals multiple loci associated with primary tooth development during infancy. PLoS Genetics 2010, 6/2: 1-7 (doi:10.1371/journal.pgen.1000856)

Pirkola J, Pouta A, Bloigu A, Miettola S, Hartikainen A-L, Järvelin M-R, Vääräsmäki M: Prepregnancy overweight and gestational diabetes as determinants of subsequent diabetes and

hypertension after 20-year follow-up. *Journal of Clinical Endocrinology and Metabolism* 2010, 95/2: 772-778.

Repapi E, Sayers I, Wain LV, Burton PR, Johnson T, Obeidat M, Zhao JH, Ramasamy A, Zhai G et al. & Hartikainen A-L, Järvelin M-R: Genome-wide association study identifies five loci associated with lung function. *Nature Genetics* 2010, 42/1: 36-43.

Rodriguez A, Kaakinen M, Moilanen I, Taanila A, McGough JJ, Loo S, Järvelin M-R: Mixed-handedness is linked to mental health problems in children and adolescents. *Pediatrics* 2010, 125/2: e340-e348.

Scherag A, Dina C, Hinney A, Vatin V, Scherag S, Vogel CIG, Müller TD, Grallert H, Wichmann H-E et al. & Järvelin M-R, Hartikainen A-L: Two new loci for body-weight regulation identified in a joint analysis of genome-wide association studies for early-onset extreme obesity in French and German study groups. *PLoS Genetics* 2010, 6/4: 1-10 (doi:10.1371/journal.pgen.1000916)

Thorgeirsson TE, Gudbjartsson DF, Surakka I, Vink JM, Amin N, Geller F, Sulem P, Rafnar T, Esko T et al. & Hartikainen A-L, Laitinen J, Isohanni M, Järvelin M-R: Sequence variants at *CHRNA3-CHRNA6* and *CYP2A6* affect smoking behavior. *Nature Genetics* 2010, 42/5: 448-453.

Tzoulaki I, Sovio U, Pillas D, Hartikainen A-L, Pouta A, Laitinen J, Tammelin TH, Järvelin M-R, Elliott P: Relation of immediate postnatal growth with obesity and related metabolic risk factors in adulthood. *American Journal of Epidemiology* 2010, 171/9: 989-998.

Walters RG, Jacquemont S, Valsesia A, de Smith AJ, Martinet D, Andersson J, Falchi M, Chen F, Andrieux J et al. & Järvelin M-R: A new highly penetrant form of obesity due to deletions on chromosome 16p11.2. *Nature* 2010, 463: 671-675.

Widén E, Ripatti S, Cousminer DL, Surakka I, Lappalainen T, Järvelin M-R, Eriksson JG, Raitakari O, Salomaa V et al. & Hartikainen A-L: Distinct variants at *LIN28B* influence growth in height from birth to adulthood. *American Journal of Human Genetics* 2010, 86: 773-782.

Tzoulaki I, Sovio U, Pillas D, Hartikainen A-L, Pouta A, Laitinen J, Tammelin T, Järvelin M-R, Elliott P: Relation of immediate postnatal growth with obesity and related metabolic risk factors in adulthood: the Northern Finland Birth Cohort 1966. 50th Cardiovascular Disease Epidemiology and Prevention, March 2-4, 2010 San Francisco, USA, s. 6.

Naukkarinen J, Surakka I, Pietiläinen KH, Rissanen A, Salomaa V, Ripatti S, Yli-Järvinen H, van Duijn CM, Wichmann H-E et al. ENGAGE Consortium & Järvelin M-R: Use of genome-wide expression data to mine the "gray zone" of GWA studies leads to novel candidate obesity genes. *PLoS Genetics* 2010, 6/6, e1000976. doi:10.1371/journal.pgen.1000976

Pirkola J, Pouta A, Bloigu A, Hartikainen A-L, Laitinen J, Järvelin M-R, Väärasmäki M: Risks of overweight and abdominal obesity at age 16 years associated with prenatal exposures to maternal prepregnancy overweight and gestational diabetes mellitus. *Diabetes Care* 2010, 33:1115-1121.

Wang TJ, Zhang F, Richards JB, Kestenbaum B, van Meurs JB, Berry D, Kiel DP, Streeten EA, Ohlsson C et al. & Hartikainen A-L, Laitinen J, Järvelin M-R: Common genetic determinants of vitamin D insufficiency: a genome-wide association study. *Lancet* 2010, 376: 180-188.

Miller B, Alaräisänen A, Miettunen J, Järvelin M-R, Koponen H, Räsänen P, Isohanni M, Kirkpatrick B: Advanced paternal age, mortality, and suicide in the general population. *Journal of Nervous and Mental Disease* 2010, 198/6: 404-411.

Teslovich TM et al. & Ruukonen A, Järvelin M-R: Biological, clinical and population relevance of 95 loci for blood lipids. *Nature* 2010, 466/5: 707-713.

Widén E, Ripatti S, Cousminer DL, Surakka I, Lappalainen T, Järvelin M-R, Eriksson JG, Raitakari O, Salomaa V, Sovio U, Hartikainen A-L et al. Distinct variants at *LIN28B* influence growth in height from birth to adulthood. *American Journal of Human Genetics* 2010, 86: 773-782.

Vlasova M, Purhonen AK, Järvelin M-R, Rodilla E, Pascual J, Herzig KH: Role of adipokines in obesity-associated hypertension. *Acta Physiologica* 2010, 200: 107-127.

Kaakinen M, Läärä E, Pouta A, Hartikainen A-L, Laitinen J, Tammelin TH, Herzig K-H, Sovio U, Bennett AJ et al. & Järvelin M-R: Life-course analysis of a fat mass and obesity-associated (FTO) gene variant and body mass index in the Northern Finland birth cohort 1966 using structural equation modeling. *American Journal of epidemiology* 2010, 172/6: 653-665.

Moilanen I, Lindholm P, Ebeling H, Taanila A, Hurtig T, Veijola J, Järvelin M-R: Continuation of ADHD-symptoms from childhood to young adulthood. *Longitudinal and Life Course Studies: International Journal* 2010, 1/3 Supplement: CELSE2010 Abstracts: 37.

Pirkola J, Pouta A, Järvelin M-R, Vääräsmäki M: Raskausdiabeteksen ja raskautta edeltävän ylipainon vaikutus äidin ja lapsen pitkäaikaisterveyteen. Pääkirjoitus. *Duodecim* 2010, 126: 1757-1759.

Ikram MK, Xueling S, Jensen RA, Cotch MF, Hewitt AW, Ikram MA, Wang JJ, Klein R, Klein BEK et al. & Hartikainen A-L, Järvelin M-R: Four Novel Loci (10q13, 6q24, 12q24, and 5q14) influence the microcirculation *In Vivo*. *PLoS Genetics* 2010, 6/10: 1-12.
doi:10.1371/journal.pgen.1001184.

Elks CE, Perry JRB, Sulem P, Chasman DI, Franceschini N, He C, Lunetta KL, Visser JA, Byrne EM et al. & Järvelin M-R: Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. *Nature Genetics* 2010, 42/12: 1077-1085.

Fararouei M, Robertson C, Whittaker J, Sovio U, Ruokonen A, Pouta A, Hartikainen A-L, Järvelin M-R, Hyppönen E: Maternal Hb during pregnancy and offspring's educational achievement: a prospective cohort study over 30 years. *British Journal of Nutrition* 2010, 104/9: 1363-1368.

Su SY, Asher JE, Järvelin M-R, Froguel P, Blakemore AI, Balding DJ, Coin LJ: Inferring combined CNV/SNP haplotypes from genotype data. *Bioinformatics* 2010, 26/11: 1437-1445.

Veltsista A, Laitinen J, Sovio U, Roma E, Järvelin M-R, Bakoula C: Relationship between eating behavior, breakfast consumption, and obesity among Finnish and Greek adolescents. *Journal of Nutrition Education and Behavior* 2010, 42/6: 417-421.

Heid IM, Jackson AU, Randall JC et al. & Kaakinen M, Järvelin M-R: Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. *Nature Genetics* 2010, 42: 949-960.

Speliotes EK, Willer CJ, Berndt SI et al. & Kaakinen M, Ruokonen A, Savolainen MJ, Järvelin M-R: Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nature Genetics* 2010, 42/11: 937-948.

Moilanen K, Jokelainen J, Jones PB, Hartikainen A-L, Järvelin M-R, Isohanni M: Deviant intrauterine growth and risk of schizophrenia: a 34-year follow-up of the Northern Finland 1966 Birth Cohort. *Schizophrenia Research* 2010, 124: 223-230.

Tabara Y, Kohara K, Kita Y et al. on behalf of the Global Blood Pressure Genetics Consortium & Hartikainen A-L, Järvelin M-R: Common variants in the ATP2B1 gene are associated with susceptibility to hypertension: the Japanese Millennium Genome Project. *Hypertension* 2010, 56: 973-980.

Allen HL, Estrada K, Lettre G et al. & Hartikainen A-L, Koivinen M, Laitinen J, Huikuri HV, Järvelin M-R: Hundreds of variants clustered in genomic loci and biological pathways affect human height. *Letter. Nature* 2010, 467: 832-838.

Waterworth DM, Ricketts SL, Song K et al. & Kesäniemi YA, Järvelin M-R, Ruokonen A: Genetic variants influencing circulating lipid levels and risk of coronary artery disease. *Arteriosclerosis, Thrombosis, and Vascular Biology* 2010, 30: 2264-2276.

Rodriguez A, Järvelin M-R, Bloigu A, Männistö T, Kaakinen M, Moilanen I: Prenatal environment in relation to mental health in childhood and adolescence. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 35.

Pillas D, Kaakinen M, Tzoulaki I et al. & Järvelin M-R: Exploring the neurodevelopmental origins of adult disease: the case of infant locomotion and adult blood pressure. *Longitudinal and Life Course*

Studies 2010, 1/3 (Suppl.): 27.

Timpson NJ, Sovio U, Mook-Kanamori DO et al. & Kaakinen M, Järvelin M-R: Association between common variation at FTO locus and changes in body mass index from birth to adolescence: Longitudinal analysis of over 19,000 children of European ancestry. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 167.

Sovio U, Kaakinen M, Tzoulaki I, Das S, Ruukonen A, Pouta A, Hartikainen A-L, Molitor J, Järvelin M-R: Age and body mass index at adiposity peak and adiposity rebound and adult metabolic outcomes in the Northern Finland Birth Cohort 1966. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 119.

Sovio U, Taal HR, Mook-Kanamori DO et al. & Kaakinen M, Järvelin M-R: Common variants near LEPR and PCSK1 are associated with infant BMI. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 166.

Kaakinen M, Sovio U, Hartikainen A-L, Pouta A, Laitinen J, Savolainen M, Herzig K-H, Lajunen T, De Stavola B, Läärä E, Järvelin M-R: Path analysis of the association between birth length and adult systolic blood pressure in the Northern Finland Birth Cohort 1966. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 141.

Ali Khan A, Rodriguez A, Kaakinen M, Pouta A, Hartikainen A-L, Järvelin M-R: Association of in utero exposure to glucocorticoids on birth size: a systematic review. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 340.

Das S, Sovio U, Kaakinen M, Millwood IY, Laitinen J, Pouta A, Hartikainen A-L, Järvelin M-R: Association between pre- and perinatal factors and infant height growth velocity in the Northern Finland Birth Cohorts 1966 and 1986. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 267.

Takatalo J, Karppinen J, Niinimäki J, Taimela S, Näyhä S, Mutanen P, Järvelin M-R, Kyllönen E, Tervonen O: Relationship of Modic changes, high intensity zone (HIZ) –lesions, herniations, Schmorl's nodes, bulging, and radial tears with low back symptom severity in young Finnish adults. 7th Science day of the Faculty of Medicine, University of Oulu, 23.2.2010. Abstracts O28, Oulu 2010.

Morin-Papunen LC, Duleba AJ, Bloigu A, Järvelin M-R, Saikku P, Pouta A: Chlamydia antibodies and self-reported symptoms of oligo-amenorrhea and hirsutism: A new etiologic factor in polycystic ovary syndrome? *Fertility and Sterility* 2010, 94: 1799-1804.

Kaakinen, Marika

Freathy RM, Mook-Kanamori DO, Sovio U, Prokopenko I, Timpson NJ, Berry DJ, Warrington NM, Widen E, Hottenga JJ et al. & Kaakinen M, Hartikainen A-L, Laitinen J, Taanila A, Järvelin M-R: Variants in ADCY5 and near CCNL1 are associated with fetal growth and birth weight. *Nature Genetics* 2010, 42/5: 430-435.

Rodriguez A, Kaakinen M, Moilanen I, Taanila A, McGough JJ, Loo S, Järvelin M-R: Mixed-handedness is linked to mental health problems in children and adolescents. *Pediatrics* 2010, 125/2: e340-e348.

Koivukangas J, Tammelin T, Kaakinen M, Mäki P, Moilanen I, Taanila A, Veijola J: Physical activity and fitness in adolescents at risk for psychosis within the Northern Finland 1986 Birth Cohort. *Schizophrenia Research* 2010 116: 152-158.

Dupuis J, Langenberg C, Prokopenko I, Saxena R, Soranzo N, Jackson AU, Wheeler E, Glazer NL, Bouatia-Naji N et al. & Hartikainen A-L, Kaakinen M, Kesäniemi YA, Ruukonen A, Järvelin M-R: New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. *Nature Genetics* 2010, 42/2: 105-113.

Heid IM, Huth C, Loos RJF, Kronenberg F, Adamkova V, Anand SS, Ardlie K, Bierbermann H,

Bjerregaard P et al. & Järvelin M-R, Kaakinen M: Meta-analysis of the INSIG2 association with obesity including 74,345 individuals: Does heterogeneity of estimates related to study design? *PLoS Genetics* 2009, 5/10: 1-10 (doi:10.1371/journal.pgen.1000694)

Pillas D, Hoggart CJ, Evans DM, O'Reilly PF, Sipilä K, Lähdesmäki R, Millwood IY, Kaakinen M, Netuveli G et al. & Hartikainen A-L, Laitinen J, Järvelin M-R: Genome-wide association study reveals multiple loci associated with primary tooth development during infancy. *PLoS Genetics* 2010, 6/2: 1-7 (doi:10.1371/journal.pgen.1000856)

Kaakinen M, Läärä E, Pouta A, Hartikainen A-L, Laitinen J, Tammelin TH, Herzig K-H, Sovio U, Bennett AJ et al. & Järvelin M-R: Life-course analysis of a fat mass and obesity-associated (FTO) gene variant and body mass index in the Northern Finland birth cohort 1966 using structural equation modeling. *American Journal of epidemiology* 2010, 172/6: 653-665.

Rodriguez A, Järvelin M-R, Bloigu A, Männistö T, Kaakinen M, Moilanen I: The prenatal environment in relation to mental health in childhood and adolescence. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 35.

Pillas D, Kaakinen M, Tzoulaki I et al. & Järvelin M-R: Exploring the neurodevelopmental origins of adult disease: the case of infant locomotion and adult blood pressure. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 27.

Timpson NJ, Sovio U, Mook-Kanamori DO et al. & Kaakinen M, Järvelin M-R: Association between common variation at FTO locus and changes in body mass index from birth to adolescence: Longitudinal analysis of over 19,000 children of European ancestry. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 167.

Sovio U, Kaakinen M, Tzoulaki I, Das S, Ruukonen A, Pouta A, Hartikainen A-L, Molitor J, Järvelin M-R: Age and body mass index at adiposity peak and adiposity rebound and adult metabolic outcomes in the Northern Finland Birth Cohort 1966. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 119.

Sovio U, Taal HR, Mook-Kanamori DO et al. & Kaakinen M, Järvelin M-R: Common variants near LEPR and PCSK1 are associated with infant BMI. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 166.

Kaakinen M, Sovio U, Hartikainen A-L, Pouta A, Laitinen J, Savolainen M, Herzig K-H, Lajunen T, De Stavola B, Läärä E, Järvelin M-R: Path analysis of the association between birth length and adult systolic blood pressure in the Northern Finland Birth Cohort 1966. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 141.

Ali Khan A, Rodriguez A, Kaakinen M, Pouta A, Hartikainen A-L, Järvelin M-R: Association of in utero exposure to glucocorticoids on birth size: a systematic review. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 340.

Das S, Sovio U, Kaakinen M, Millwood IY, Laitinen J, Pouta A, Hartikainen A-L, Järvelin M-R: Association between pre- and perinatal factors and infant height growth velocity in the Northern Finland Birth Cohorts 1966 and 1986. *Longitudinal and Life Course Studies* 2010, 1/3 (Suppl.): 267.

Kantomaa, Marko

The role of physical activity on emotional and behavioural problems, self-rated health and educational attainment among adolescents. *Acta Universitatis Ouluensis Medica D* 1043, Oulu 2010, ss. 110 (+ liitteet).

Keinänen-Kiukaanniemi, Sirkka

Isojärvi H, Keinänen-Kiukaanniemi S, Kallio M, Kaikkonen K, Jämsä T, Korpelainen J, Korpelainen R: Exercise and fitness are related to peripheral nervous system function in overweight adults. *Medicine & Science in Sports & Exercise* 2010, 42/7: 1241-1245.

Korkiakangas E, Alahuhta M, Husman P, Keinänen-Kiukaanniemi S, Taanila A, Laitinen J: Pedometer use among adults at high risk of type 2 diabetes, Finland, 2007-2008. *Preventing Chronic Disease* 2010, 7/2: A37 (http://www.cdc.gov/pcd/issues/2010/mar/09_0035.htm).

Korkiakangas E, Laitinen J, Keinänen-Kiukaanniemi S, Taanila A: Pienten lasten vanhempien liikuntamotivaatioon vaikuttavat tekijät. *Hoitotiede* 2010, 22/1: 3-13.

Jokinen H, Pulkkinen P, Korpelainen J, Heikkinen J, Keinänen-Kiukaanniemi S, Jämsä T, Korpelainen R: Risk factors for cervical and trochanteric hip fractures in elderly women - a population-based 10 -year follow-up study. *Calcif Tissue Int.* 2010, 87/1: 44-51.

Vanhala M, Laitinen J, Keinänen-Kiukaanniemi S, Kaikkonen K, Korpelainen R. Parental predictors of fruit and vegetable consumption in treatment-seeking overweight children. *Journal of Human Nutrition and Dietetics* 2010,

Liukkonen T, Vanhala M, Jokelainen J, Keinänen-Kiukaanniemi S, Koponen H, Timonen M: Effect of menopause and use of contraceptives/hormone therapy on association of C-reactive protein and depression: A population-based study. *Journal of Psychosomatic Research* 2010, 68: 573-579.

Ylöstalo P, Anttila S, Rajala U, Päivänsalo M, Keinänen-Kiukaanniemi S, Sakki T, Knuutila M: Periodontal infection and subclinical atherosclerosis: the role of high-density lipoprotein as a modifying factor. *Journal of Clinical Periodontology* 2010, 37: 617-624.

Juuti A-K, Läärä E, Rajala U, Laakso M, Härkönen P, Keinänen-Kiukaanniemi S, Hiltunen L: Prevalence and associated factors of restless legs in a 57-year-old urban population in northern Finland. *Acta Neurologica Scandinavica* 2010, 122: 63-69.

Vartiainen J, Rajala U, Jokelainen J, Keinänen-Kiukaanniemi S, Kesäniemi YA, Ukkola O: Serum ghrelin and the prediction of the development of impaired glucose regulation and Type 2 diabetes in middle-aged subjects. *Journal of Endocrinological Investigation* 2010, 33: 496-500.

Zhou XH, Qiao Q, Zethelius B, Pyörälä K, Söderberg S, Pajak A, Stehouwer CDA, Heine Rj, Jousilahti P et al for the DECODE Study Group. & Keinänen-Kiukaanniemi S, Rajala U, Laakso M: Diabetes, prediabetes and cancer mortality. *Diabetologia* 2010, 53: 1867-1876.

Lindgren P, Lindström J, Tuomilehto J, Uusitupa M, Peltonen M, Jönsson B, de Faire U, Hellénus M-L for the DPS Study Group & Keinänen-Kiukaanniemi S, Laakso M: Lifestyle intervention to prevent diabetes in men and women with impaired glucose tolerance is cost-effective. *International Journal of Technology Assessment in Health Care* 2007, 23/2: 177-183. (Ilmoitettu vasta v. 2010)

Korpelainen R, Keinänen-Kiukaanniemi S, Nieminen P, Heikkinen J, Väänänen K, Korpelainen J: Long-term outcomes of exercise. Follow-up of a randomized trial in older women with osteopenia. *Archives of Internal Medicine* 2010, 170/17: 1548-1556.

Saaristo T, Moilanen L, Korpi-Hyövälti E, Vanhala M, Saltevo J, Niskanen L, Jokelainen J, Peltonen M, Oksa H et al. & Keinänen-Kiukaanniemi S: Lifestyle intervention for prevention of type 2 diabetes in primary health care. *Diabetes Care* 2010, 33/10: 2146-2151.

Ottelin, A-M.; Lindström, J.; Peltonen, M.; Martikainen, J.; Uusitupa, M.; Gylling, H.; Poutanen, K.; Louheranta, A.; Mannelin, M. et al. & Keinänen-Kiukaanniemi, Sirkka: Costs of a self-selected, health-promoting diet among the participants of the Finnish Diabetes Prevention Study. *Diabetes Care* 2007, 30/5: 1275-1277. (ilmoitettu vasta v. 2010)

Cannon CP, Shah S, Dansky HM et. al. Determining the Efficacy and Tolerability Investigators & Keinänen-Kiukaanniemi S, Strandberg T: Safety of anacetrapib in patients with or at high risk for coronary heart disease. *New England Journal of Medicine* 2010, 363/25: 2406-2415.

Cederberg H, Saramies J, Jokelainen J, Keinänen-Kiukaanniemi S, The Savitaipale Follow-up Study Group: Late gestational blood pressure and subsequent impaired glucose tolerance. 7th Science day of the Faculty of Medicine, University of Oulu, 23.2.2010. Abstracts O55, Oulu 2010.

Cederberg H, Saramies J, Jokelainen J, Surcel H-M, Mähönen M, Keinänen-Kiukaanniemi S, The Savitaipale Follow-Up Study Group: Gestational blood pressure and subsequent insulin resistance in middle age. 6th World Congress on Prevention of Diabetes and its Complications (WCPD 2010). April 8-11, 2010, Dresden, Germany. Poster presentation. Abstract CD, 01-4/253.

Cederberg H, Saramies J, Jokelainen J, Keinänen-Kiukaanniemi S and The Savitaipale Follow-Up Study Group: Gestational blood pressure and subsequent glucose homeostasis disturbance in late adulthood. The 2nd Nordic University Course on Hypertension Research, Oslo, June 17-18.2010 (in conjunction with ESH 2010, Oslo, Norway). Oral presentation. Abstract published in congress book.

Saaristo T, Moilanen L, Jokelainen J, Korpi-Hyövälti E, Vanhala M, Saltevo J, Niskanen L, Peltonen M, Oksa H et al. & Cederberg H, Keinänen-Kiukaanniemi S: Cardiometabolic profile of people screened for high risk of type 2 diabetes in a national diabetes prevention programme (FIN-D2D). Primary Care Diabetes 2010, 4: 231-239.

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. Diabetes Care 2010, 33/9: 2077-2083.

Koponen H, Jokelainen J, Keinänen-Kiukaanniemi S, Vanhala M: Depressive symptoms and 10-year risk for cardiovascular morbidity and mortality. World Journal of Biological Psychiatry 2010, 11/6: 834-839.

Laitinen J, Korkiakangas E, Alahuhta M, Keinänen-Kiukaanniemi S, Rajala U, Timonen O, Jokelainen T, Keränen A-M, Remes J, Ruokonen A, Hedberg P, Taanila A, Husman P, Olkkonen S. Feasibility of videoconferencing in lifestyle group counseling. International Journal of Circumpolar Health 2010, 69/5: 500-511.

Korpelainen R, Keinänen-Kiukaanniemi S, Nieminen P, Heikkinen J, Väänänen K, Korpelainen J: Long-term effect of exercise on bone density and risk of fractures in elderly high-risk women - follow-up of a population-based randomised controlled trial. 1st Asia-Pacific Osteoporosis Meeting, Singapore, Osteoporos Int 2010, 21/Suppl 5: S707.

Korpelainen R, Pietarila-Heikkinen T, Keinänen-Kiukaanniemi S, Nieminen P, Heikkinen J, Väänänen K, Korpelainen J: Long-term effect of exercise on extraskeletal risk factors for fractures in elderly high-risk women - follow-up of a population-based randomized controlled trial. 1st Asia-Pacific Osteoporosis Meeting, Singapore, Osteoporos Int 2010, 21/Suppl 5: S712.

Saltevo S, Kaikkonen K, Korpelainen R, Kaikkonen H, Jokelainen J, Keinänen-Kiukaanniemi S: Intensiivisen elintapaohjauksen ja sykeohjatun kuntosaliharjoittelun vaikutus lihaviiden työkäisten painoon ja sokeriaineenvaihduntaan - satunnaistettu, kontrolloitu kahden vuoden interventio. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. Liikunta & Tiede 2010, 47/5: 49.

Uusitupa M, Peltonen M, Lindström J, Aunola S, Ilanne-Parikka P, Keinänen-Kiukaanniemi S, Valle TT, Eriksson JG, Tuomilehto J for the Finnish Diabetes Prevention Study. Ten-year mortality and cardiovascular morbidity in the Finnish diabetes prevention study – secondary analysis of the randomized trial. PLoS ONE 2010, 4/5: e5656. doi:10.1371/journal.pone.0005656

Ilanne-Parikka P, Laaksonen DE, Eriksson JG, Lakka TA, Lindström J, Peltonen M, Aunola S, Keinänen-Kiukaanniemi S, Uusitupa M, Tuomilehto J on behalf of the Finnish Diabetes Prevention Study Group: Leisure-time physical activity and the metabolic syndrome in the Finnish diabetes prevention study. Diabetes Care 2010, 33/7: 1610-1617.

Korkiakangas E, Alahuhta M, Husman P, Keinänen-Kiukaanniemi S, Taanila A, Laitinen J. Motivators and barriers to exercise among adults with a high risk of type 2 diabetes – A Qualitative study. *Scandinavian Journal of Caring Sciences* 2010: doi 10.1111/j.1471-6712.2010.00791.x.

Hoverfelt A, Sallinen R, Söderlund JM et al. & FinnDiane Study Group & Hiltunen L, Keinänen-Kiukaanniemi S: DDOST, PRKCSH and LGALS3, which encode AGE-receptors 1, 2 and 3, respectively, are not associated with diabetic nephropathy in type 1 diabetes. *Diabetologia* 2010, 53/9: 1903-1907.

Tuomilehto H, Peltonen M, Partinen M, Lavigne G, Eriksson JG, Herder C, Aunola S, Keinänen-Kiukaanniemi S, Ilanne-Parikka P et al. on behalf of the Finnish Diabetes Prevention Study Group: Sleep duration, lifestyle intervention and incidence of type 2 diabetes in impaired glucose tolerance. *Diabetes Care* 2009, 32/11: 1965-1971. (ilmoitettu vasta v. 2010)

Wikström K, Peltonen M, Eriksson JG, Aunola S, Ilanne-Parikka P, Keinänen-Kiukaanniemi S, Uusitupa M, Tuomilehto J & Lindström J: Educational attainment and effectiveness of lifestyle intervention in the Finnish Diabetes Prevention Study. *Diabetes Research and Clinical Practice* 2009, 86/1: e1-5. (ilmoitettu vasta v. 2010)

Tolonen N, Forsblom C, Thorn L et al. & FinnDiane Study Group & Hiltunen L & Keinänen-Kiukaanniemi S: Lipid abnormalities predict progression of renal disease in patients with type 1 diabetes. *Diabetologia* 2009, 52/12: 2522-2530. (ilmoitettu vasta v. 2010)

Ahola AJ, Thorn LM, Saraheimo M, Forsblom C, Groop PH; on behalf of the FinnDiane Study Group & Hiltunen L & Keinänen-Kiukaanniemi S: Depression is associated with the metabolic syndrome among patients with type 1 diabetes. *Annals of Medicine* 2010, 42/7: 495-501.

Koiranen, Markku

Allen HL, Estrada K, Lettre G et al. & Hartikainen A-L, Koiranen M, Laitinen J, Huikuri HV, Järvelin M-R: Hundreds of variants clustered in genomic loci and biological pathways affect human height. *Nature* 2010, 467: 832-838.

Korkiakangas, Eveliina

Aikuisten liikuntamotivaatioon vaikuttavat tekijät. *Acta Universitatis Ouluensis Medica D* 1084, Oulu 2010, ss. 83 (+ liitteet).

Korpelainen, Raija

Isojärvi H, Keinänen-Kiukaanniemi S, Kallio M, Kaikkonen K, Jämsä T, Korpelainen J, Korpelainen R: Exercise and fitness are related to peripheral nervous system function in overweight adults. *Medicine & Science in Sports & Exercise* 2010, 42/7: 1241-1245.

Korpelainen R, Keinänen-Kiukaanniemi S, Nieminen P, Heikkinen J, Väänänen K, Korpelainen J: Long-term outcomes of exercise. Follow-up of a randomized trial in older women with osteopenia. *Archives of Internal Medicine* 2010, 170/17: 1548-1556.

Takatalo J, Karppinen J, Taimela S, Niinimäki J, Laitinen J, Paananen M, Tammelin T, Korpelainen R, Tervonen O: Overweight and unhealthy behaviour predict lumbar disc degeneration in young males. 7th Science day of the Faculty of Medicine, University of Oulu, 23.2.2010. Abstracts O27, Oulu 2010.

Niu K, Ahola Riikka, Guo H, Korpelainen Raija, Uchimar J, Vainionpää A, Sato K, Sakai A, Salo S, Kishimoto S, Itoi E, Komatsu S, Jämsä Timo, Nagatomi R. Effect of Office-Based Brief High-Impact Exercise on Bone Mineral Density in Healthy Premenopausal Women: The Sendai Bone Health Concept (S-BHCS) Study. *J Bone Miner Metab.* 2010 Sep;28/5: 568-77.

Jokinen H, Pulkkinen P, Korpelainen J, Heikkinen J, Keinänen-Kiukaanniemi S, Jämsä T, Korpelainen R: Risk factors for cervical and trochanteric hip fractures in elderly women - a population-based 10 -year follow-up study. *Calcif Tissue Int.* 2010, 87/1: 44-51.

Matinolli M, Korpelainen JT, Sotaniemi KA, Myllylä VV, Korpelainen R. Recurrent falls and mortality in Parkinson's disease: a prospective two-year follow-up study. *Acta Neurol Scand.* 2010, 9:

Ahola R, Korpelainen R, Vainionpää A, Jämsä T. Daily impact score in long-term acceleration measurements of exercise. *J Biomech.* 2010, 43/10: 1960-1964.

Vanhala M, Laitinen J, Keinänen-Kiukaanniemi S, Kaikkonen K, Korpelainen R. Parental predictors of fruit and vegetable consumption in treatment-seeking overweight children. *Journal of Human Nutrition and Dietetics* 2010,

Korpelainen R. MOPO virittää liikkumaan. *Liikunta & Tiede.* 2010, 47/5: 64-65.

Korpelainen R, Keinänen-Kiukaanniemi S, Nieminen P, Heikkinen J, Väänänen K, Korpelainen J: Long-term effect of exercise on bone density and risk of fractures in elderly high-risk women - follow-up of a population-based randomised controlled trial. 1st Asia-Pacific Osteoporosis Meeting, Singapore, *Osteoporos Int* 2010, 21/Suppl 5: S707.

Korpelainen R, Pietarila-Heikkinen T, Keinänen-Kiukaanniemi S, Nieminen P, Heikkinen J, Väänänen K, Korpelainen J: Long-term effect of exercise on extraskeletal risk factors for fractures in elderly high-risk women - follow-up of a population-based randomized controlled trial. 1st Asia-Pacific Osteoporosis Meeting, Singapore, *Osteoporos Int* 2010, 21/Suppl 5: S712.

Ahola R, Korpelainen R, Vainionpää A, Jämsä T: Uusi kuormitusindeksi luuliikunnan mittaamiseen. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. *Liikunta &Tiede* 2010, 47/5: 34.

Korpelainen R, Ahola R, Niu K, Guo H, Uchimaru J, Vainionpää A, Sato K, Sakai A, Salo S, Kishimoto K, Itoi E, Komatsu S, Nagatomi R, Jämsä T: Työpäivän aikana toteutetun hyppyharjoittelun vaikutus istumatyötä tekevien japanilaisten naisten luustoon. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. *Liikunta &Tiede* 2010, 47/5: 41.

Pyky R, Jämsä T, Ikäheimo T, Kaikkonen K, Mäntysaari M, Virtanen P, Korpelainen R: Mikä mopoa liikuttaa? Pohjois-suomalaisten kutsuntaikäisten miesten liikunta-aktiivisuus ja liikkumista rajoittavat tekijät. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. *Liikunta &Tiede* 2010, 47/5: 47.

Saltevo S, Kaikkonen K, Korpelainen R, Kaikkonen H, Jokelainen J, Keinänen-Kiukaanniemi S: Intensiivisen elintapaohjauksen ja sykeohjatun kuntosaliharjoittelun vaikutus lihaviiden työikäisten painoon ja sokeriaineenvaihduntaan - satunnaistettu, kontrolloitu kahden vuoden interventio. Liikuntalääketieteen päivät 10.-11.11.2010, Helsinki. *Liikunta &Tiede* 2010, 47/5: 49.

Laakso, Mauri

Juuti A-K, Läärä E, Rajala U, Laakso M, Härkönen P, Keinänen-Kiukaanniemi S, Hiltunen L: Prevalence and associated factors of restless legs in a 57-year-old urban population in northern Finland. *Acta Neurologica Scandinavica* 2010, 122: 63-69.

Lindgren P, Lindström J, Tuomilehto J, Uusitupa M, Peltonen M, Jönssön B, de Faire U, Hellénus M-L for the DPS Study Group & Keinänen-Kiukaanniemi S, Laakso M: Lifestyle intervention to prevent diabetes in men and women with impaired glucose tolerance is cost-effective. *International Journal of Technology Assessment in Health Care* 2007, 23/2: 177-183. (Ilmoitettu vasta v. 2010)

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. *Diabetes Care* 2010, 33/9: 2077-2083.

Laitinen, Jaana

Korkiakangas E, Alahuhta M, Husman P, Keinänen-Kiukaanniemi S, Taanila A, Laitinen J: Pedometer use among adults at high risk of type 2 diabetes, Finland, 2007-2008. *Preventing Chronic Disease, Public Health Research, Practice, and Policy* 2010, 7/2: .

Freathy RM, Mook-Kanamori DO, Sovio U, Prokopenko I, Timpson NJ, Berry DJ, Warrington NM, Widen E, Hottenga JJ et al. & Kaakinen M, Hartikainen A-L, Laitinen J, Taanila A, Järvelin M-R: Variants in ADCY5 and near CCNL1 are associated with fetal growth and birth weight. *Nature Genetics* 2010, 42/5: 430-435.

Kettunen J, Silander K, Saarela O, Amin N, Müller M, Timpson N, Surakka I, Ripatti S, Laitinen J et al. & Hartikainen A-L, Järvelin M-R: European lactase persistence genotype shows evidence of association with increase in body mass index. *Human Molecular Genetics* 2010, 19/6: 1129-1136.

Pillas D, Hoggart CJ, Evans DM, O'Reilly PF, Sipilä K, Lähdesmäki R, Millwood IY, Kaakinen M, Netuveli G et al. & Hartikainen A-L, Laitinen J, Järvelin M-R: Genome-wide association study reveals multiple loci associated with primary tooth development during infancy. *PLoS Genetics* 2010, 6/2: 1-7 (doi:10.1371/journal.pgen.1000856)

Tzoulaki I, Sovio U, Pillas D, Hartikainen A-L, Pouta A, Laitinen J, Tammelin TH, Järvelin M-R, Elliott P: Relation of immediate postnatal growth with obesity and related metabolic risk factors in adulthood. *American Journal of Epidemiology* 2010, 171/9: 989-998.

Tzoulaki I, Sovio U, Pillas D, Hartikainen A-L, Pouta A, Laitinen J, Tammelin T, Järvelin M-R, Elliott P: Relation of immediate postnatal growth with obesity and related metabolic risk factors in adulthood: the Northern Finland Birth Cohort 1966. *50th Cardiovascular Disease Epidemiology and Prevention*, March 2-4, 2010 San Francisco, USA, s. 6.

Korkiakangas E, Laitinen J, Keinänen-Kiukaanniemi S, Taanila A: Pienten lasten vanhempien liikuntamotivaatioon vaikuttavat tekijät. *Hoitotiede* 2010, 22/1: 3-13.

Pirkola J, Pouta A, Bloigu A, Hartikainen A-L, Laitinen J, Järvelin M-R, Väärasmäki M: Risks of overweight and abdominal obesity at age 16 years associated with prenatal exposures to maternal prepregnancy overweight and gestational diabetes mellitus. *Diabetes Care* 2010, 33:1115-1121.

Wang TJ, Zhang F, Richards JB, Kestenbaum B, van Meurs JB, Berry D, Kiel DP, Streeten EA, Ohlsson C et al. & Hartikainen A-L, Laitinen J, Järvelin M-R: Common genetic determinants of vitamin D insufficiency: a genome-wide association study. *Lancet* 2010, 376: 180-188.

Kaakinen M, Läärä E, Pouta A, Hartikainen A-L, Laitinen J, Tammelin TH, Herzig K-H, Sovio U, Bennett AJ et al. & Järvelin M-R: Life-course analysis of a fat mass and obesity-associated (FTO) gene variant and body mass index in the Northern Finland birth cohort 1966 using structural equation modeling. *American Journal of epidemiology* 2010, 172/6: 653-665.

Laitinen J, Korkiakangas E, Alahuhta M, Keinänen-Kiukaanniemi S, Rajala U, Timonen O, Jokelainen T, Keränen A-M, Remes J et al. & Taanila A: Feasibility of videoconferencing in lifestyle group counselling. *International Journal of Circumpolar Health* 2010, 69/5: 500-511.

Veltsista A, Laitinen J, Sovio U, Roma E, Järvelin M-R, Bakoula C: Relationship between eating behavior, breakfast consumption, and obesity among Finnish and Greek adolescents. *Journal of Nutrition Education and Behavior* 2010, 42/6: 417-421.

Allen HL, Estrada K, Lettre G et al. & Hartikainen A-L, Koiraanen M, Laitinen J, Huikuri HV, Järvelin M-R: Hundreds of variants clustered in genomic loci and biological pathways affect human height. *Letter. Nature* 2010, 467: 832-838.

Laukkanen, Raija

Laukkanen R: Teknologia – renki vai isäntä? Bolus 2010, 4: 15-16.

Vuori I, Laukkanen R: Vaarantaako istuminen terveytesi? Suomen Lääkärilehti 2010, 65/39: 3108-3109.

Lohi, Jouni

Lohi J, Sipponen A, Jokinen JJ: Local dressings for pressure ulcers: what is the best tool to apply in primary and second care? Journal of Wound Care 2010, 19/3: 123-127.

Lohi J, Sipponen A, Jokinen JJ, Sipponen P: ABILAR[®] Pihkasalva 10 % haavanhoitoon. Haava 2010, 4: 20-21.

Kilpeläinen AA, Huttunen KH, Lohi JJ, Lyytinen H: Effect of caffeine on vigilance and cognitive performance during extended wakefulness. International Journal of Aviation Psychology 2010, 20/2: 144-159.

Luukinen, Heikki

Luukinen H, Jokelainen J, Hedberg P: The relationships between high-sensitivity C-reactive protein and incident depressed mood among older adults. Scandinavian Journal of Clinical & Laboratory Investigation 2010, 70: 75-79.

Mäntysaari, Matti

Mäntysaari M, Kuronen P, Mäkitie I: Sotilasterveydenhuollon koulutus yliopistoille. Sotilaslääketieteen Aikakauslehti 2010, 86/1: 9-12.

Näyhä, Simo

Harju T, Mäkinen T, Näyhä S, Laatikainen T, Jousilahti P, Hassi J: Cold-related respiratory symptoms in the general population. Clinical Respiratory Journal 2010, 4: 176-185.

Hassi J, Ikäheimo T, Näyhä S: Kylmä ja kuuma ympäristö. Ympäristöterveyden erityistilanteet. Opas ympäristöterveydenhuollon työntekijöille ja yhteistyötahoille. Sosiaali- ja terveysministeriön julkaisuja 2010, 2: 136-148. ISBN 978-952-00-3012-4; ISSN 1236-2050.

Takatalo J, Karppinen J, Niinimäki J, Taimela S, Näyhä S, Mutanen P, Järvelin M-R, Kyllönen E, Tervonen O: Relationship of modic changes, high intensity zone (HIZ) –lesions, herniations, Schmorl’s nodes, bulging, and radial tears with low back symptom severity in young Finnish adults. 7th Science day of the Faculty of Medicine, University of Oulu, 23.2.2010. Abstracts O28, Oulu 2010.

Rajala, Ulla

Ylöstalo P, Anttila S, Rajala U, Päivänsalo M, Keinänen-Kiukaanniemi S, Sakki T, Knuuttila M: Periodontal infection and subclinical atherosclerosis: the role of high-density lipoprotein as a modifying factor. Journal of Clinical Periodontology 2010, 37: 617-624.

Juuti A-K, Läärä E, Rajala U, Laakso M, Härkönen P, Keinänen-Kiukaanniemi S, Hiltunen L: Prevalence and associated factors of restless legs in a 57-year-old urban population in northern Finland. Acta Neurologica Scandinavica 2010, 122: 63-69.

Vartiainen J, Rajala U, Jokelainen J, Keinänen-Kiukaanniemi S, Kesäniemi YA, Ukkola O: Serum ghrelin and the prediction of the development of impaired glucose regulation and Type 2 diabetes in middle-aged subjects. Journal of Endocrinological Investigation 2010, 33: 496-500.

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. *Diabetes Care* 2010, 33/9: 2077-2083.

Laitinen J, Korhonen E, Alahuhta M, Keinänen-Kiukaanniemi S, Rajala U, Timonen O, Jokelainen T, Keränen A-M, Remes J, Ruokonen A, Hedberg P, Taanila A, Husman P, Olkkonen S. Feasibility of videoconferencing in lifestyle group counseling. *Int J Circumpolar Health* 2010, 69/5: 500-511.

Saukkonen, Tuula

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. *Diabetes Care* 2010, 33/9: 2077-2083.

Strandberg, Timo

Savela SL, Koistinen P, Tilvis RS, Strandberg AY, Pitkälä KH, Salomaa VV, Miettinen TA, Strandberg TE: Physical activity at midlife and health-related quality of life in older men. *Archives of Internal Medicine* 2010, 170: 1171-1172.

Savela S, Koistinen P, Tilvis RS, Strandberg AY, Pitkälä KH, Salomaa VV, Miettinen TA, Strandberg TE: Leisure-time physical activity, cardiovascular risk factors and mortality during a 34-year follow-up in men. *European Journal of Epidemiology* 2010, 25/9: 619-625.

Hermans MP, Cabezas MC, Strandberg T, Ferrieres J, Feely J, Elisaf M, Michel G, Sansoy V: Centralized Pan-European survey on the under-treatment of hypercholesterolaemia (CEPHEUS): overall findings from eight countries. *Current Medical Research & Opinion* 2010, 26/2: 445-454.

Strandberg TE: Lipid-lowering drugs and heart failure: where do we go after the statin trials? *Current Opinion in Cardiology* 2010, 25: 385-393.

Strandberg TE, Koistinen P, Antikainen R, Kynsilehto EA, Määttä K, Niemelä M, Seppänen ML, Viramo P, Pitkälä K, O'Neill D: Increased work-satisfaction amongst geriatricians in Finland – an encouragement for further development of the specialty? Survey among geriatricians in Finland in 2008. *European Geriatric Medicine* 2010, 1: 73-76.

Tipping RW, Ford CE, Pressel SL, Walldius G, Jungner I, Folsom AR, Chambless L, Ballantyne CM, Panagiotakos D et al. & Strandberg TE: C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. *Lancet* 2010, 375: 132-140.

Strandberg TE: Cardiovascular disease, hypertension, and risk of hip fracture. (Letters.) *JAMA* 2010, 303/8: 731.

Strandberg TE: Etenevien muistisairauksien ja dementian ehkäisy. *AVH Aivoverenkiertohäiriöiden erikoislehti* 2010, 1: 6-8.

Räikkönen K, Seckl JR, Heinonen K, Pyhälä R, Feldt K, Pesonen AK, Phillips DI, Lahti J et al. & Strandberg TE: Maternal prenatal licorice consumption alters hypothalamic-pituitary-adrenocortical axis function in children. *Psychoneuroendocrinology* 2010, 35/10: 1587-1593.

Laurila JV, Laakkonen ML, Strandberg TE, Tilvis RS, Pitkälä KH: Depression and outcome of delirium. *Journal of the American Geriatric Society* 2010, 58/5: 997-998.

Oksala NK, Salonen T, Strandberg T, Oksala A, Pohjasvaara T, Kaste M, Karhunen PJ, Erkinjuntti T: Cerebral small vessel disease and kidney function predict long-term survival in patients with acute stroke. *Stroke* 2010, 41/9: 1914-1920.

Hovinen SM, Pitkälä KH, Tilvis RS, Strandberg TE: Alanine aminotransferase activity and mortality in older people. *Journal of the American Geriatric Society* 2010, 58/7: 1399-1401.

Vuorio A, Kuoppala J, Kovanen PT, Humphries SE, Strandberg T, Tonstad S, Gylling H: Statins for children with familial hypercholesterolemia. *Cochrane Database of Systematic Reviews* 2010, Issue 7, DOI: 10.1002/14651858.CD006401.pub.2.

Emerging Risk Factors Collaboration, Sarwar N, Gao P, Seshasai SR et al. & Strandberg T: Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies. *Lancet* 2010, 375: 2215-2222.

Hyttinen L, Tuulio-Henriksson A, Vuorio AF, Kuosmanen N, Härkänen T, Koskinen S, Strandberg TE: Long-term statin therapy is associated with better episodic memory in aged familial hypercholesterolemia patients in comparison with population controls. *Journal of Alzheimers Disease* 2010, 21/2: 611-617.

Paavonen EJ, Rääkkönen K, Pesonen AK, Lahti J, Komsu N, Heinonen K, Järvenpää AL, Strandberg TE, Kajantie E, Porkka-Heiskanen T: Sleep quality and cognitive performance in 8-year-old children. *Sleep Medicine* 2010, 11/4: 386-392.

Rääkkönen K, Matthews KA, Pesonen AK, Pyhälä R, Paavonen EJ, Feldt K, Jones A, Phillips DI, Seckl JR et al. & Strandberg TE: Poor sleep and altered hypothalamic-pituitary-adrenocortical and sympatho-adrenal-medullary system activity in children. *Journal of Clinical Endocrinology and Metabolism* 2010, 95/5: 2254-2261.

Bell JS, Strandberg TE, Teramura-Gronblad M, Laurila JV, Tilvis RS, Pitkälä KH: Use of proton pump inhibitors and mortality among institutionalized older people. *Research letters. Archives of Internal Medicine* 2010, 170/17: 1604-1605.

Strandberg TE: Further look at obesity. *Correspondence. Lancet* 2010, 376: 1144.

Pitkälä KH, Raivio MM, Laakkonen M-L, Tilvis RS, Kautiainen H, Strandberg TE: Exercise rehabilitation on home-dwelling patients with Alzheimer's disease – a randomized, controlled trial. *Study protocol. Trials* 2010, 11: 92 (doi:10.1186/1745-6215-11-92).

Strandberg T, Kovanen P, Syväne M: Mikä aiheuttaa terveelle miehelle sepelvaltimotaudin? *Suomen Lääkärilehti* 2010, 65/34: 2657-2658.

Cannon CP, Shah S, Dansky HM et al. Determining the Efficacy and Tolerability Investigators & Keinänen-Kiukaanniemi S, Strandberg T: Safety of anacetrapib in patients with or at high risk for coronary heart disease. *New England Journal of Medicine* 2010, 363/25: 2406-2415.

Strandberg, Timo: Muistisairauksien vaaratekijät ja ennaltaehkäisy. *Yleislääkäri* 2010, 8: 15-17.

Peters R, Pinto E, Beckett N et al. & Antikainen R, Strandberg T: Association of depression with subsequent mortality, cardiovascular morbidity and incident dementia in people aged 80 and over and suffering from hypertension. Data from the Hypertension in the Very Elderly Trial (HYVET). *Age and Ageing* 2010, 39: 439-445.

Peters R, Beckett N, Burch L et al. & Antikainen R, Strandberg T: Effect of treatment based on a diuretic (indapamide) ± ACE inhibitor (perindopril) on fractures in the Hypertension in the Very Elderly Trial (HYVET). *Age and Ageing* 2010, 39: 609-616.

van Munster BC, de Rooij SE, Yazdanpanah M, Tienari PJ, Pitkälä KH, Osse KH, Adamis D et al. Strandberg T: The Association of the dopamine transporter gene and the dopamine receptor 2 gene with delirium, a meta-analysis. *American Journal of Medical Genetics B Neuropsychiatric Genetics* 2010, 153B/2: 648-655.

Thompson S, Kaptoge S, White I, Wood A, Perry P, Danesh J, and the Emerging Risk Factors Collaboration & Strandberg, T: Statistical methods for the time-to-event analysis of individual participant data from multiple epidemiological studies. *International Journal of Epidemiology* 2010, 39/5: 1345-1359.

Pesonen A-K, Räikkönen K, Paavonen EJ, Heinonen K, Komsu N, Lahti J, Kajantie E, Järvenpää A-L, Strandberg T: Sleep duration and regularity are associated with behavioral problems in 8-year-old children. *International Journal of Behavioral Medicine* 2010, 17: 298-305.

Strandberg T, Gylling H, Tilvis RS, Miettinen TA: Serum plant and other noncholesterol sterols, cholesterol metabolism and 22-year mortality among middle-aged men. *Atherosclerosis* 2010, 210, 282-287.

Strandberg T: Erikoislääkärin uutiset. *Geriatrics. Duodecim* 2010, 126/1: 27.

Strandberg T: Erikoislääkärin uutiset. *Geriatrics. Duodecim* 2010, 126/5: 483.

Strandberg T: Erikoislääkärin uutiset. *Geriatrics. Duodecim* 2010, 126/9: 1005.

Strandberg T: Erikoislääkärin uutiset. *Geriatrics. Duodecim* 2010, 126/12: 1387.

Strandberg T: Erikoislääkärin uutiset. *Geriatrics. Duodecim* 2010, 126/17: 1997.

Strandberg T: Viikon kollega. James F. Fries: "The Greatest satisfactions in life come from the solving of problems". *Duodecim* 2010, 126/17: 2083-2084.

Strandberg T: Mitä nyt. Öljyä rasvasodan lainelle. *Duodecim* 2010, 126/18: 2103.

Strandberg T: Mitä nyt. Aivojen valkean aineen hiljaiset muutokset. *Duodecim* 2010, 126/17: 1985.

Strandberg T: Mitä nyt. LDL-reseptorin tehostus vähentää valtimotautia. *Duodecim* 2010, 126/16: 1877.

Strandberg T: Mitä nyt. Vanhuksen laihdutus. *Duodecim* 2010, 126/15: 1765.

Strandberg T: Mitä nyt. Ylipaino nakertaa aivoja. *Duodecim* 2010, 126/14: 1655.

Strandberg T: Mitä nyt. Tyydyttynyt rasva – terveystuoteko? *Duodecim* 2010, 126/13: 1530.

Strandberg T: Mitä nyt. Miten kuluu viimeinen elinvuosi? *Duodecim* 2010, 126/12: 1377.

Strandberg T: Mitä nyt. Säästöliekillä pitempään. *Duodecim* 2010, 126/11: 1254.

Strandberg T: Mitä nyt. Perinteinen Välimeren dieetti – ei turistimuonaa. *Duodecim* 2010, 126/10: 1110.

Strandberg T: Mitä nyt. Lumeen haittavaikutukset vaihtelevat. *Duodecim* 2010, 126/5: 475.

Strandberg T: Mitä nyt. Statiinia syöpäpotilaille? *Duodecim* 2010, 126/6: 605.

Strandberg T: Mitä nyt. Happiradikaalit vanhentavat. *Duodecim* 2010, 126/9: 999.

Suomalaisen Lääkäriseuran Duodecimin, Societas Gerontologica Fennican, Suomen Neurologisen yhdistyksen, Suomen Psykogeriatrisen yhdistyksen ja Suomen Yleislääketieteen yhdistyksen asettama työryhmä; Suhonen J, Pirttilä T, Erkinjuntti T ym. & Strandberg T: Muistisairauksien diagnostiikka ja lääkehoito. Käypä hoito –suositusten päivitystiiivistelmä. *Duodecim* 2010, 126/18: 2167-2168.

Suomalaisen Lääkäriseuran Duodecimin ja Suomen Verenpaineyhdistys ry:n asettama työryhmä; Jula A, Kantola I, Lehto S ym. & Strandberg T: Kohonnut verenpaine. Käypä hoito –suositusten päivitystiiivistelmä. *Duodecim* 2010, 126/6: 673-674.

Suomalaisen Lääkäriseuran Duodecimin ja Suomen Kardiologisen seuran asettama työryhmä; Toivonen L, Virtanen V, Happonen J-M ym. & Strandberg T: Sydämen tahdistinhoito. Käypä hoito –suositusten päivitystiiivistelmä. *Duodecim* 2010, 126/4: 391-392.

Suomalaisen Lääkäriseuran Duodecimin, Societas Gerontologica Fennican, Suomen Neurologisen yhdistyksen, Suomen Psykogeriatrisen yhdistyksen ja Suomen Yleislääketieteen yhdistyksen asettama työryhmä; Suhonen J, Pirttilä T, Erkinjuntti T ym. & Strandberg T: Muistisairauksien diagnostiikka ja lääkehoito. Käypä hoito –suositus. Päivitetty 13.8.2010. s. 1-30.

Taanila, Anja

Korkiakangas E, Alahuhta M, Husman P, Keinänen-Kiukaanniemi S, Taanila A, Laitinen J: Pedometer use among adults at high risk of type 2 diabetes, Finland, 2007-2008. *Preventing Chronic*

Disease, Public Health Research, Practice, and Policy 2010, 7/2: .

Korkiakangas E, Laitinen J, Keinänen-Kiukaanniemi S, Taanila A: Pienten lasten vanhempien liikuntamotivaatioon vaikuttavat tekijät. *Hoitotiede* 2010, 22/1: 3-13.

Auvinen JP, Tammelin TH, Taimela SP, Zitting PJ, Järvelin M-R, Taanila AM, Karppinen JI: Is insufficient quantity and quality of sleep a risk factor for neck, shoulder and low back pain? A longitudinal study among adolescents. *European Spine Journal* 2010, 19: 641-649.

Freathy RM, Mook-Kanamori DO, Sovio U, Prokopenko I, Timpson NJ, Berry DJ, Warrington NM, Widen E, Hottenga JJ et al. & Kaakinen M, Hartikainen A-L, Laitinen J, Taanila A, Järvelin M-R: Variants in ADCY5 and near CCNL1 are associated with fetal growth and birth weight. *Nature Genetics* 2010, 42/5: 430-435.

Rodriguez A, Kaakinen M, Moilanen I, Taanila A, McGough JJ, Loo S, Järvelin M-R: Mixed-handedness is linked to mental health problems in children and adolescents. *Pediatrics* 2010, 125/2: e340-e348.

Koivukangas J, Tammelin T, Kaakinen M, Mäki P, Moilanen I, Taanila A, Veijola J: Physical activity and fitness in adolescents at risk for psychosis within the Northern Finland 1986 Birth Cohort. *Schizophrenia Research* 2010 116: 152-158.

Luoma S, Hakko H, Marttunen M, Taanila A, Lindeman S: Severe injuries in adolescence predict psychosis: A nested case control study of the Northern Finland 1966 Birth Cohort. *Schizophrenia Research* 2010, 118: 48-53.

Kantomaa MT, Tammelin TH, Demakakos P, Ebeling HE, Taanila AM: Physical activity, emotional and behavioural problems, maternal education and self-reported educational performance of adolescents. *Health Education Research* 2010, 25/2: 368-379.

Moilanen I, Lindholm P, Ebeling H, Taanila A, Hurtig T, Veijola J, Järvelin M-R: Continuation of ADHD-symptoms from childhood to young adulthood. *Longitudinal and Life Course Studies: International Journal Supplement: CELSE2010 Abstracts*, 2010, 1/3: 37.

Honkanen M, Moilanen I, Taanila A, Hurtig T: Luokanopettaja lapsen mielenterveyden edistäjänä ja ennustajana. *Duodecim* 2010, 126/3: 277-282.

Korkiakangas E, Alahuhta M, Husman P, Keinänen-Kiukaanniemi S, Taanila A, Laitinen J: Motivators and barriers to exercise among adults with a high risk of type 2 diabetes – A Qualitative study. *Scandinavian Journal of Caring Sciences* 2010: doi 10.1111/j.1471-6712.2010.00791.x.

Laitinen J, Korkiakangas E, Alahuhta M, Keinänen-Kiukaanniemi S, Rajala U, Timonen O, Jokelainen T, Keränen A-M, Remes J et al. & Ruokonen A, Taanila A: Feasibility of videoconferencing in lifestyle group counseling. *International Journal of Circumpolar Health* 2010, 69/5: 500-511.

Savolainen J, Hurtig TM, Ebeling HE, Moilanen IK, Hughes LA, Taanila AM: Attention deficit hyperactivity disorder (ADHD) and criminal behavior: the role of adolescent marginalization. *European Journal of Criminology* 2010, 7/6: 442-459.

Paananen MV, Auvinen JP, Taimela SP, Tammelin TH, Kantomaa MT, Ebeling HE, Taanila AM, Zitting PJ, Karppinen JI: Psychosocial, mechanical, and metabolic factors in adolescents' musculoskeletal pain in multiple locations: A cross-sectional study. *European Journal of Pain* 2010, 14: 395-401.

Kantomaa M, Tammelin T, Ebeling H, Taanila A: Liikunnan yhteys nuorten tunne-elämän ja käyttäytymisen häiriöihin, koettuun terveyteen ja koulumenestykseen. *Liikunta & Tiede* 2010, 47/6: 30-37.

Liukkonen T, Vanhala M, Jokelainen J, Keinänen-Kiukaanniemi S, Koponen H, Timonen M: Effect of menopause and use of contraceptives/hormone therapy on association of C-reactive protein and depression: A population-based study. *Journal of Psychosomatic Research* 2010, 68: 573-579.

Cederberg H, Saukkonen T, Laakso M, Jokelainen J, Härkönen P, Timonen M, Keinänen-Kiukaanniemi S, Rajala U: Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease A 10-year prospective cohort study. *Diabetes Care* 2010, 33/9: 2077-2083.

Utriainen, Kati

Kanste O, Kääriäinen M, Elo S, Pölkki T, Utriainen K & Kyngäs H. Teorian tilastollinen testaaminen hoitotieteessä. *Hoitotiede* 2010, 22/3: 195-205.

Utriainen K, Kyngäs H & Nikkilä J. Ikääntyvien sairaanhoitajien työhyvinvointi suomalaisissa sairaalaorganisaatioissa. *Tutkiva Hoitotyö* 2010, 8/1: 36-42.

Vanhala, Mauno

Liukkonen T, Vanhala M, Jokelainen J, Keinänen-Kiukaanniemi S, Koponen H, Timonen M: Effect of menopause and use of contraceptives/hormone therapy on association of C-reactive protein and depression: A population-based study. *Journal of Psychosomatic Research* 2010, 68: 573-579.

Saaristo T, Moilanen L, Korpi-Hyövälti E, Vanhala M, Saltevo J, Niskanen L, Jokelainen J, Peltonen M, Oksa H et al. & Keinänen-Kiukaanniemi S: Lifestyle intervention for prevention of type 2 diabetes in primary health care. *Diabetes Care* 2010, 33/10: 2146-2151.

Virokannas, Hannu

Virokannas H, Österman M, Kopperoinen T, Anttonen H, Leino T, Vorne J, Anttila K: Development of the internet-based occupational health services. Towards Better Work and Well-being, International conference, Helsinki, Finland. February 10th -12th 2010. Abstracts p. 59.

Pyrrö P, Virokannas H: Development of the internet-based occupational health services. Towards Better Work and Well-being, International conference, Helsinki, Finland. February 10th - 12th 2010. Abstracts p. 82.

Zitting, Paavo

Auvinen JP, Tammelin TH, Taimela SP, Zitting PJ, Järvelin M-R, Taanila AM, Karppinen JI: Is insufficient quantity and quality of sleep a risk factor for neck, shoulder and low back pain? A longitudinal study among adolescents. *European Spine Journal* 2010, 19: 641-649.

Auvinen JP, Paananen MVJ, Tammelin TH, Taimela SP, Mutanen POA, Zitting PJ, Karppinen JI: Musculoskeletal pain combinations in adolescents. *SPINE* 2009, 34/11: 1192-1197 (ilmoitettu vasta 2010)

Paananen MV, Auvinen JP, Taimela SP, Tammelin TH, Kantomaa MT, Ebeling HE, Taanila AM, Zitting PJ, Karppinen JI: Psychosocial, mechanical, and metabolic factors in adolescents' musculoskeletal pain in multiple locations: A cross-sectional study. *European Journal of Pain* 2010, 14: 395-401.